








07 4445




23 4899


35 3168

Gebrauchsanweisung
52 2548
(D,GB,F,I,NL)

Montageanleitung
52 2494

Beistellsatz
26 5163





	V01	V02	
Pos.	Danfoss	Aspera	
	TLES7K	BPK1084Y	
1	14 1903	14 2101	
2			
3	15 1055	18 0819	
4	15 1053		
5	15 0760	17 0882	
6	15 1072	17 0881	
7	16 9319	16 9319	
8	26 4879	26 4879	
9	05 0166	050166	
10	16 5852	16 5852	
11	354945	26 4878	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES			
Verdichter/Compressor/Compresseur	Danfoss	Aspera	
Typ/Type	TLES7K	BPK1084Y	
Förderleistung/Delivery/Débit	l/h	1198	1201
Anlaufstrom/Starting current/Cour de démarrage	A	8,8	3,6
Widerstand/Resistance/Résistance Ha/main/prin	W	18,9	19,6
Hi/aux	W	15,3	39,1
Temp.-Regler/Thermostat	KER		
Typ/Type	RCO		
Regelstellung/Position	kalt	warm	
Schaltwerte/Switching values	ein"	+5,2	+5,2
Valeurs de commutation	aus"	-32,0	-15,0
"alarm"			
Füllmenge/Fill.quantity/Charge	R600a	*	
Anschlußwert/Conn.load/Puiss. connectée	W	68	79
Heizung/Heater/Chauffage			
Widerstand/Resistance/Résistance	W		
Leistung/Power/Puissance	W		
Ventilator/Blower/Ventilateur			
Widerstand/Resistance/Résistance	W		
Temp.-Regler/Thermostat			
Magnetventil/Magnetic valve/Electrovanne			
Widerstand/Resistance/Résistance	W		
Spannung/Voltage/Tension	V		

* siehe Typenschild