


**BOSCH**

KIC3135/01-V01
KIC3135CH/01-V02
KIC3135/02-V03

KIC3135CH/42-V04

KÜHL-, GEFRIERGERÄTE
Kühlschränke, Einbau



**BOSCH**


KIC3135/01-V01
KIC3135CH/01-V02
KIC3135/02-V03

KIC3135CH/42-V04

KÜHL-, GEFRIERGERÄTE
Kühlschränke, Einbau

Mat. - Nr. - Konstante
3740

- 1) 08 8967
- 2) 09 5329
- 3) 09 5328
- 4) 08 7561
- 5) 08 6659
- 6) 02 2437
- 7) 02 6566




**BOSCH**

KIC3135/01-V01
KIC3135CH/01-V02
KIC3135/02-V03

KIC3135CH/42-V04

KÜHL-, GEFRIERGERÄTE
Kühlschränke, Einbau



Pos.	V01,V02	V03	V04
	Danfoss NLE 15 K	Danfoss NLE13K	Danfoss NLE 15 K
1	14 1311	14 1751	14 1752
2			
3	15 1055	15 1055	15 1055
4			
5	15 0760	15 0760	15 0760
6	15 1072	15 1072	15 1072
7			
8	28 1825	28 1825	28 1825
9	05 0166	05 0166	05 0166
10			
11	28 1828	28 1828	28 1828
12	05 6008	05 6008	05 6008

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES

Verdichter/Compressor/Compresseur		Danfoss NLE 15 K	Danfoss NLE 13 K	
Typ/Type		2637	2694	
Förderleistung/Delivery/Débit	l/h		10,9	
Anlaufstrom/Starting current/Cour. de démarrage	A		10,7	
Widerstand/Resistance/Résistance	Ha/main/prin. Ω		13,0	
	Hi/aux Ω			
Temp.-Regler/Thermostat		Ranco K59		
Typ/Type		kalt	warm	
Reglerstellung/Position	$^{\circ}\text{C}$	+4,5	+4,5	
Schaltwerte/Switching values/	„ein“	-31,0	13,5	
Valeurs de commutation	„aus“			
	(„abtauen“ od.) „alarm“			
Füllmenge/Fill.quantity/Charge	R600a	g	55	
Anschlußwert/Conn.load/Puiss. connectée	W	150	144	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance	Ω			
Leistung/Power/Puissance	W			
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance	Ω			
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance	Ω			
Spannung/Voltage/Tension	V			