

**BOSCH**


GS 128 UI – 0 705 124 400–D1
 GS 1280 UI – 0 705 124 402–F1
 GS 128 UI – 0 705 124 403–CH1

GEFRIERGERÄTE
 Gefrierschränke, Unterbau

Ident-Nummern-Konstante
 3740


51 1314/00
 Gebrauchsanweisung
 51 1315/00
 Montageanleitung

1) 11 2700/02
 2) 08 0424/02
 3) 02 2423/01



151317-3/1

Ident-Nummern-Konstante
3740




**BOSCH**

GS 128 UI - 0 705 124 400-D1
 GS 1280 UI - 0 705 124 402-F1
 GS 128 UI - 0 705 124 403-CH1

GEFRIERGERÄTE
 Gefrierschränke, Unterbau

Ident.-Nummern-Konstante
 3740

**TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES**

Verdichter/Compressor/Compresseur		Aspera			
Typ/Type		BY 1112 A			
Förderleistung/Delivery/Débit	l/h	1060			
Anlaufstrom/Starting current/Cour. de démarrage	A	8,5			
Widerstand/Resistance/Résistance	Ha/main/prin.	Ω	17,9		
	Hi/aux	Ω	43,7		
Temp.-Regler/Thermostat		M & J			
Typ/Type		TF 57 SF 2			
Reglerstellung/Position		kalt warm			
Schaltwerte/Switching values/	„ein“ °C	-25 -17			
Valeurs de commutation	„aus“	-37 -27			
	(„abtauen“ od.) „alarm“	-20 -13			
Fullmenge/Fill.quantity/Charge	R12	g	150		
Anschlußwert/Conn.load/Puiss. connectée		W	130		
Heizung/Heater/Chauffage					
Widerstand/Resistance/Résistance	Ω				
Leistung/Power/Puissance	W				
Ventilator/Blower/Ventilateur					
Widerstand/Resistance/Résistance	Ω				
Magnetventil/Magnetic valve/Électrovanne					
Widerstand/Resistance/Résistance	Ω				
Spannung/Voltage/Tension	V				

Pos.				
	Aspera			
1	14 0166/45			
2	02 2337/16			
3	02 2342/16			
4	05 1748/06			
5				
6	05 1746/01			
7	02 2339/01			
8				
9	05 0166/05			
10				
11				
12				
13				
14				

*) Bei Ersatz des Bosch-Verdichters mitbestellen
 To be ordered when replacing the Bosch compressor
 A commander lors du remplacement du compresseur Bosch