












Pos.	KF/ Refrig. Cooler	GF/ Cong. Freezer
1	0301	0306
2	0302	0307
3	0303	0308
4	0304	0309
5	0305	0310
6	0311	
7	0312	
8	0313	
9	0314	
10	0315	

TECHNISCHE DATEN / TECHNICAL DATA / DATOS TECNICOS						
Test conditions: CECOMAF (evap. temp. -25°C)						
Verdichter/Compressor/Compresor	LG	Aspera	Aspera	Danfoss	Danfoss	
Typ/Type/Tipo	NDA62NAEG	EMU32CLC	EMZ32CLC	TLY5.7KK.3	TLX5.7KK.3	
Förderleistung/Delivery/Debit/Aspiración	l/h					
Stromverbrauch/Current consumption/Int. consumo	A	0,48	0,44	0,26	0,49	0,28
Widerstand/Resistance/Resistencia (25°C). Ha/main/prin.	Ohm	35,21	38,90	37,70	35,00	37,00
Hi/sub/aux.	Ohm	21,49	28,30	34,75	21,00	21,00
Kühlleistung/Cooling capacity/Potencia frigorífica	W	71	71	74	70	70
Füllmenge/Fill. quantity/Charge/Carga	R600a. g	*	*	*	*	*

* Siehe Typenschild /See identification plate /Ver plaqueta de características